



TRAVANCORE TITANIUM PRODUCTS LIMITED  
Kochuveli, Thiruvananthapuram 695 021  
Phone : 0471 2502163 FAX: 0471 2501533

CD/CN/VC-106/Rubber Lining/17-18

27.03.2018

## Tender Notice

### “RUBBER LINING OF HCL STORAGE TANK (MSRL) NO.2”

Sealed quotations are invited from experienced Contractors in prescribed format for doing the “RUBBER LINING OF HCL STORAGE TANK (MSRL) NO.2” The tender shall be enclosed in an envelope, sealed and superscribed with Tender No., Date and due date and description as “RUBBER LINING OF HCL STORAGE TANK (MSRL) NO.2”.

The same shall then be forwarded to “**The Head of the Department(Comml), Travancore Titanium Products Limited, Kochuveli P.O, Thiruvananthapuram, Kerala Pin 695 021.** The tender form can be obtained from the office of the under signed between 9.00a.m and 4.00 p.m on all working days except Saturdays, after remitting the tender form cost. **Cost of tender form is Rs.300/- + GST @ 18%** . Tender document can also be downloaded from our website [www.travancoretitanium.com](http://www.travancoretitanium.com) and shall submit the Tender along with DD against the Tender Form cost & EMD in favour of Travancore Titanium Products Ltd., payable at Thiruvananthapuram.

**EMD: Rs.1,925/- (refundable)**

Sealed Tenders will be received at our office on all working days and the last date for submitting the same is on **13.04.2018** at 12 noon. Tenders received after the due date & time will not be accepted. Fax/email offers will not be accepted.

The bids will be opened on 2 pm on **13.04.2018** in the presence of the tenderers present at that time.

for TRAVANCORE TITANIUM PRODUCTS LIMITED

  
Head of the Department(Comml)

Encl: proforma

Signature of the bidder:

page 1 of 4



**TRAVANCORE TITANIUM PRODUCTS LIMITED**  
Kochuveli, Thiruvananthapuram 695 021  
Phone : 0471 2502163      FAX: 0471 2501533

CD/CN/VC-106/Rubber Lining/17-18

27.03.2018

**Tender Notice**  
**“RUBBER LINING OF HCL STORAGE TANK (MSRL) NO.2”**

**Scope of work**

The following jobs connected with HCL Tank rubber lining:

- i. Removing the damaged rubber lining from the tank bottom side & damaged portion cleaning and grinding the surface thoroughly.
- ii. Cleaning the tank top cover and grinding the surface thoroughly.
- iii. Apply rubber lining (2.5 mm thick unvulcanised acid resistant rubber lining- Two layers) including supply of rubber, rubber lining solution and all other required materials.

**Terms and conditions**

1. The contractor has to visit the site before quoting to assess the nature and Volume of work involved (Work site is at TTPL, Trivandrum.)
2. Date of Commencement: The work shall be commenced immediately as per the instruction of Engineer in charge after the acceptance of order.
3. The time of completion: The period of completion of contract will be one month from the date of acceptance of Work Order.

**Rate:**

Contractors are required to quote their most competitive rate.

The quantities indicated in the Price Schedule are tentative only and TTPL shall have the right to add or delete the quantity of items to complete the work and in such cases, no objection shall be raised by the contractor.

No claim for revision of the rates will be entertained under any circumstance during the period of contract.

Signature of the bidder:

page 2 of 4

